

NEWS FROM DELAWARE'S OFFICE OF ENVIRONMENTAL PROTECTION, 2/11/14

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Megan Miller at 302-739-9400, or send an email to Megan.Miller@state.de.us

Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: www.awm.delaware.gov

UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

WATER SUPPLY COORDINATING COUNCIL MEETING - The Council will hold a meeting on **March 5** from 10am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <http://egov.delaware.gov/pmc/Event/Details/23126>

HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE) – The Committee will hold a public meeting on **March 6** from 9am to 12pm at the DNREC Lewes Field Office, **located downstate** at 901 Pilottown Road, Lewes, DE 19958. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit: <http://egov.delaware.gov/pmc/Event/Details/23495>

SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING - The Committee will hold a meeting on **May 7** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <http://egov.delaware.gov/pmc/Event/Details/22082>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Nicole Hill or Penny Gentry at (302) 739-9402.

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS -Notice is hereby given that JP Morgan Chase Bank & Co. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a permit amendment at 501 Bear Christiana Road, Bear, Delaware, JP Morgan Chase Bank & Co. requests an increase in emission limits for eight existing emergency generators. These limits are necessary to restrict the facility's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 23.61 tpy of NOX, 22.09 tpy of

CO, 0.41 tpy of SO₂, 2.76 tpy of PM₁₀, and 16.98 tpy of THC_s. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request by **February 11**. To submit comments, for additional information or for an appointment to inspect the public file, please contact Nicole Hill in the Dover office at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2184&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS-Notice has been given that: FMC Health and Nutrition (formerly FMC BioPolymer), requests a construction permit to install a new dust collector to replace the 800 Packaging Building baghouse (EP-116) at their 1301 Ogletown Road, Newark, County of New Castle facility. The new dust collector will be permitted to emit 0.35 tons of particulate matter (PM) per year by Permit: APC-2014/0042-CONSTRUCTION. A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by **February 17**. For additional information or for an appointment to review the application, please contact Nicole Hill at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2210&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

7 DE Admin. Code 1102 NATURAL MINOR PERMIT APPLICATIONS-Notice has been given that: Schiff Farm, Inc., requests a construction and operating permit for a grain receiving pit and a grain dryer Model Brock BCT 3500 at 16054 S. DuPont Highway, Harrington in Kent County. The grain receiving pit's permitted emission limits will be PM = 2.43 tons per year (TPY), PM₁₀ = 0.70 TPY, and PM_{2.5} = 0.12 TPY. The grain dryer's permitted emission limits will be PM = 7.56 TPY, PM₁₀ = 1.94 TPY, PM_{2.5} = 0.38 TPY, NO_x = 0.78 TPY, VOC = 0.085 TPY, CO = 0.66 TPY, and SO_x = 0.0048 TPY. For Permits: APC-2014/0053-CONSTRUCTION/OPERATION and APC-2014/0052-CONSTRUCTION/OPERATION, respectively. A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by **February 17**. For additional information or for an appointment to review the application, please contact Nicole Hill at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2209&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Title V Modification Applications-Notice is hereby given that Delaware Solid Waste Authority having a facility at 1706 E. 12th Street, Wilmington, Delaware, has submitted a request for significant permit modification pursuant to 7 DE Admin. Code 1130; Section 7 AQM-003/00111-Renewal 2. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" significant permit modification has been prepared. This "draft/proposed" significant permit modification will modify the existing visible emission monitoring requirements for the passive flares in use at the Cherry Island Landfill. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request by **February 18**. To submit comments, for additional information or for an appointment to inspect the

application , please contact Nicole Hill at the Dover Office at 739-9402 ;or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2194&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS-Notice is hereby given that Coker Concrete has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a construction/operation permit at 949 Horsepond Road, Dover. Coker Concrete requests a limit for 1,000 operating hours per rolling twelve (12) months for an 860 hp tub grinder and 1,000 operating hours per rolling twelve (12) months for a 174 hp power screen at 949 Horsepond Road, Dover. These limits are necessary to restrict Coker Concrete's potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 6.5 TPY NOx, 8.1 TPY CO, 0.1 TPY THC, 0.35 TPY PM, and 0.005 TPY SO2 for the tub grinder. The total estimated emissions from the facility for the power screen are 1.6 TPY NOx, 0.2 TPY CO, 0.1 TPY THC, 0.02 TPY PM, and 0.001 TPY SO2. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **February 18**. To submit comments, for additional information or for an appointment to inspect the public file, please contact Nicole Hill in the Dover office at (302) 739-9402; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2193&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS-Notice is hereby given that AstraZeneca - Old Baltimore Pike has submitted two applications, pursuant to 7 DE Admin Code 1102, Section 2.1, 11.2.9, and 12.3 for construction permits at 587 Old Baltimore Pike, Newark. AstraZeneca - Old Baltimore Pike has requested to install three small cyclones with associated dust collectors and HEPA filters for the formulation process lines. Maximum emissions of Particulate Matter (PM2.5) for the project will be less than 0.1 TPY. These limits are necessary to restrict AstraZeneca - Old Baltimore Pike potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request by **February 18**. To submit comments, for additional information or for an appointment to inspect the public file, please contact Nicole Hill in the Dover office at (302) 739-9402; or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2192&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

7 DE ADMIN. CODE 1102 NATURAL MINOR PERMIT APPLICATIONS Notice has been given that: Emily P. Bissell Hospital requests permission for the construction of one (1) emergency generator, rated 563 kW (755 HP) at 3000 Newport Gap Pike, Wilmington, New Castle County, Delaware. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permit # APC-2014/0049-C A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by **February 24**. A request for a hearing shall be in writing. For additional information or for an appointment to review the application, please contact Nicole Hill at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2216&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Title V Permit Renewal Applications Notice is hereby given that DuPont Chestnut Run having a facility at 4417 Lancaster Pike, in Wilmington, Delaware, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 (AQM-003/00126(Renewal 3)). Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit renewal has been prepared. This “draft/proposed” permit renewal updates applicable requirements. If there are no significant comments, the “draft/proposed” permit renewal will be issued as a final permit after expiration of the EPA review period. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request by **February 25**. To submit comments, for additional information or for an appointment to inspect the application, please contact Nicole Hill at the Dover Office at 739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2200&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Title V Permit Renewal Applications - Notice is hereby given that Wilmington Wastewater Treatment Plant having a facility at 12th Street and Hay Road in Wilmington, Delaware, has submitted a request for permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00389 - Renewal (2). Based on the data and certifications contained in the application, the Air Quality Management Section concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a “draft/proposed” permit renewal has been prepared. This “draft/proposed” permit renewal incorporates regulatory updates since the last permit renewal. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request by **February 25**. To submit comments, for additional information or for an appointment to inspect the application, please contact Nicole Hill at the Dover Office at 739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2199&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS -Notice is hereby given that Coker Concrete has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for a construction/operation permit at 949 Horsepond Road, Dover. Coker Concrete requests a limit for 1,000 operating hours per rolling twelve (12) months for an 860 hp tub grinder and 1,000 operating hours per rolling twelve (12) months for a 174 hp power screen at 949 Horsepond Road, Dover. These limits are necessary to restrict Coker Concrete’s potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the facility are 6.5 TPY NOx, 8.1 TPY CO, 0.9 TPY THC, 0.35 TPY PM, and 0.005 TPY SO2 for the tub grinder. The total estimated emissions from the facility for the power screen are 1.6 TPY NOx, 0.2 TPY CO, 0.1 TPY THC, 0.02 TPY PM, and 0.001 TPY SO2. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request by **February 28**.

To submit comments, for additional information or for an appointment to inspect the public file, please contact Nicole Hill in the Dover office at (302) 739-9402; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2204&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Federally Enforceable 7 DE Admin. Code 1102 Applications-Notice is hereby given that Ashland Corporation (Hercules Research Center) has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for the construction of an R&D Spray Drying Process consisting of the following equipment at 500 Hercules Road, Wilmington, Delaware:

Two (2) PSD-1 Co-current atomizer spray dryers;

One (1) Niro SDMicrobench Scale atomizer spray dryer; and

One (1) GEA MP-1 Fluid Bed Dryer;

The Ashland Corporation requests the following emission limits for this process:

VOCs : 0.25 lb/hr and 0.25 TPY; and

HAPs : 0.20 lb/hr and 0.20 TPY.

These emission limits are after the addition of pollution control devices and the limits will be enforceable by the EPA and the state. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing by **February 28**. To submit comments, for additional information or for an appointment to inspect the public file, please contact Nicole Hill in the Dover office at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2203&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

REVISED LEGAL NOTICE -Federally Enforceable 7 DE Admin. Code 1102

Applications-Notice is hereby given that Ashland Corporation (Hercules Research Center) has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for the construction of an R&D Spray Drying Process consisting of the following equipment at 500 Hercules Road, Wilmington, Delaware:

One R&D spray dryer (closed loop system with internal condenser)

One GMP spray dryer (closed loop system with internal condenser)

One SD Micro spray dryer

One MP-1 Fluid Bed Dryer

The Ashland Corporation requests the following emission limits for this process:

VOCs : 7.7 lbs/hr and 0.32 TPY; and HAPs : 10.5 lbs/hr and 0.38 TPY.

These emission limits are after the addition of pollution control devices and the limits will be enforceable by the EPA and the State. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing by **March 4**. To submit comments, for additional information or for an appointment to inspect the public file, please contact Nicole Hill in the Dover office at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2208&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SITE INVESTIGATION AND RESTORATION SECTION – The Division's Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the

Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

The Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a Brownfields Development Agreement (BDA) to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The Voluntary Cleanup Program (VCP) Agreement is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site. Proposed and final plans of remedial action are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

FINAL PLAN OF REMEDIAL ACTION FOR THE SCHWARTZ PROPERTY OPERABLE UNIT-1

(DE-1389)-The Department has adopted a plan regarding the clean-up of Operable Unit-1 of the Schwartz Property located at 201 & 211 South Market Street in Wilmington. All underground storage tanks (USTs), associated piping and petroleum-impacted soil will be removed, the Site will be capped with 2 feet of clean soil, and environmental vapor barriers will be placed under all residential buildings, as necessary. DNREC issued public notice of the Proposed Plan for Operable Unit-1 of the Schwartz Property on December 22, 2013. The public may appeal this Final Plan by **February 11**. For additional information, please contact John Cargill IV P.G., or Tiffany Neumann, Project Officers, or Robert Newsome, Public Information Officer, at ; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2197&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

FINAL PLAN OF REMEDIAL ACTION FOR THE SCHWARTZ PROPERTY OPERABLE UNIT-2

(DE-1389)-The Department has adopted a plan regarding the clean-up of Operable Unit-2 of the Schwartz Property located at 201 & 211 South Market Street in Wilmington. The Site will be capped with 2 feet of clean soil and environmental vapor barriers will be placed under all residential buildings, as necessary. DNREC issued public notice of the Proposed Plan for Operable Unit-2 of the Schwartz Property on December 22, 2013. The public may appeal this Final Plan by **February 11**. For additional information, please contact John Cargill IV P.G., or Tiffany Neumann, Project Officers, or Robert Newsome, Public Information Officer, at ; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2198&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE HUDSON PIT SITE (DE-0107)

Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfields Development Agreement (BDA). This notice will expire on **February 24**. Site Investigation and Restoration Section negotiating a BDA with Schell Properties, LLC regarding the Hudson Pit Site, located at NS Route 1 and Tulip Drive in Lewes. Identified by Sussex County as tax parcel numbers 335-11.00-59.00 and 01, 335-11.00-55.00 and 335-11.55.56, the 36.48 acre Site may have had a release of hazardous substances as a result of past use as a landfill. For more information, please see DNREC's navigator at <http://www.nav.dnrec.delaware.gov/DEN3> by contacting the SIRS Project Manager, Tiffany Neumann at ; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2207&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE SOUTH WILMINGTON STORM WATER PILOT SITE (DE-1500)-Pursuant to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91, §9126, the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice within twenty days after entering into negotiations for a Brownfields Development Agreement (BDA). DNREC's Site Investigation and Restoration Section (DNREC-SIRS) is negotiating an amended BDA with the City of Wilmington regarding the South Wilmington Storm Water Pilot Area Site (Site), located at 0 Walnut Street in Wilmington Delaware. The original Site was identified by New Castle County as tax parcel numbers 26-050.00-056, 26-050.00-074 and 26-050.00-075. The City of Wilmington applied for an amendment to this Site to include four additional parcels: 26-050.00-080, 26-050.00-044, 26-050.00-046 and 26-050.00-058, located along 0 Walnut Street, 504 A Street, 414 A Street and 400 B Street in Wilmington. The Site may have had a release of hazardous substances as a result of past use as landfill and disposal for historic fill. For more information, please see DNREC's navigator at <http://www.nav.dnrec.delaware.gov/DEN3>. DNREC invites written public comments on this BDA. The public comment period begins on **February 3** and will close at the end of the business day (4:30 p.m.) on **February 24**. Written comments should be submitted to Larry Jones at SIRS's address listed above. A copy of the BDA is available at 391 Lukens Drive, New Castle, DE 19720 or by accessing DNREC-SIRS's superfund site files database <https://onlinedocs.dnrec.delaware.gov/docfinity> by contacting the SIRS Project Manager, Larry Jones at ; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2206&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE-PROPOSED PLAN OF REMEDIAL ACTION FOR THE 721 TERMINAL AVENUE SITE (DE-1558)-The Department invites public comment on a proposal to address the 721 Terminal Avenue Site located at 721 Terminal Avenue in Wilmington. The Certified Brownfield Site is comprised of approximately 2.1 acres of tax parcel number 2606600006 that is currently owned by 273 Properties LLC. The owner plans to pursue commercial development at the Site. Details of the Proposed Plan are available at the Wilmington library, at the office of SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx>. The comment period ends on **February 25**. For additional information, please contact Wendy March, Project Manager, or Robert Newsome, Public Information Officer, at . <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2214&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

LEGAL NOTICE-AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE SUMMIT LANDFILL SITE (DE-0074)-The Department invites public comment on a proposal to clean up the Summit Landfill Site in Middletown, DE. The 17 acre Site is located at 0 Lorewood Grove Road, Middletown, Delaware. The comment period ends on **February 25**. For additional information, please contact Wendy March, Project Manager, or Robert Newsome, Public Information Officer, at . <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2213&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

AMENDED PROPOSED PLAN OF REMEDIAL ACTION FOR THE WEST STREET CONNECTOR EXTENSION SITE (DE-1157)-The Department invites public comment on a proposal to clean up the West Street Connector Site in Wilmington, DE. The approximately 5 acre Site is located ¼ mile from the intersection of West Street (the Connector) and South Madison Street to Beech Street, Wilmington, Delaware. The comment period ends on **March 3**. For additional information, please contact Wendy March, Project Manager, or Robert Newsome, Public Information Officer, at ; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2218&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

NOTIFICATION OF NEGOTIATIONS CONCERNING A VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THE 24930 JOHN J. WILLIAMS HIGHWAY SITE (DE-1566)-Pursuant to the June 2000 amendment to the Hazardous Substance Cleanup Act (HSCA), 7 Del. C. § 9107 (a)(1), the Department of Natural Resources and Environmental Control (DNREC) is required to issue a public notice announcing the onset of negotiations concerning Voluntary Cleanup Program (VCP) Agreements, as well as any voluntary settlement agreements requiring a remedy, between DNREC and potentially responsible parties. The amendment states that DNREC must provide "public notification within 20 days after entering into negotiations for a voluntary cleanup settlement agreement with any person that agrees to perform a remedy." The Site Investigation and Restoration Section (SIRS), on behalf of DNREC, initiated the VCP in February 1995 in an effort to lessen the time and cost required in cleaning up contaminated sites by reducing litigation. VCP Agreements are available, upon application to DNREC, to potentially responsible parties or prospective purchasers who may be liable for the contamination of a property, but who wish to settle their liabilities with DNREC under HSCA. DNREC is negotiating a VCP Agreement with Responsible Land Holdings Millsboro LLC regarding the 24930 John J. Williams Highway Site (Site), located at 24930 John J. Williams Highway in Millsboro. Sussex County identifies the approximately 1.61 acre Site as tax parcel number 2-34-23-269.16. This notification will expire on **March 3**. For Site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>.

For additional information, please contact Stephanie Scholl @ ; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2217&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

SOLID AND HAZARDOUS WASTE MANAGEMENT SECTION

WASTE TRANSPORTER PERMITS PENDING – The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware. The applications may be inspected by appointment from 8:00am to 4:30pm, Monday through Friday, at the offices of DNREC. For additional information or an appointment to inspect the applications, please contact Kenneth F. Green, DWHS/SHWMS, 89 Kings Hwy, Dover, DE 19901, (302)739.9403. Permit applications: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2215&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Aqua-tex Transport, Inc.; David A. Bramble, Inc.; Eco services, LLC; Horwith Trucks, Inc.; HYO Trucking Inc.; Lewis Environmental Inc.; Shore Waste, LLC. - **This notification expires February 20.**

DIVISION OF WATER- GROUND WATER DISCHARGES SECTION- PERMIT APPLICATIONS The Division of Water hereby gives notice that the following permit applications have been received. For additional information, please contact Kathleen Saunders at (302) 739-9948 or visit: DNREC – Division of Water, Ground Water Discharges Section. <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2196&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Nicholas Tsaganos has submitted a renewal application for an operating permit for an on-site wastewater treatment and disposal system for the Summit Village Shops. The system has been designed to accommodate 5,120 gallons per day of wastewater.

The site is located at 4446 Summit Bridge Road, New Castle County; tax map # 13-007.00-073.
This notification expires February 13.

Brandywine Septic, Inc. has applied to the Ground Water Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit, to transport septage through Delaware, to be disposed of at permitted out-of-state facilities. **This notification expires February 13.**

DIVISION OF WATER-WATER SUPPLY SECTION - WELL PERMITS – The Division of Water hereby gives notice that the following applications have been received. For additional information or to inspect the applications, please contact Patty Murray, Water Supply Section, 89 Kings Highway, Dover, DE 19901 (302) 739-9945. **This notification expires February 17.**

Sussex County Engineering needs to construct a dewatering system for 166 points that are 6 feet apart and 20 feet deep. The purpose of the project is to install a sewer main. The discharge water is going to an existing swale on Rt. 26 and Omar road; located in the town limits of Millville, in Sussex County. The combined capacity of this system is 665 gpm.

DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. For more information on the applications listed below, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2165&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeId=0x010034FD6D348B0CF04392485E93FC15AB3A>

Robert L. Baer (2-35-22-284) to install a 5 by 23 foot dock extension connecting to a previously authorized dock and pier in Red Mill Pond at 30324 South Mill Run, Overbrook Shores, Milton, Sussex County, DE - **This notice expires February 4**

Winterthur Museum, Garden and Library (TM 07-012.00-037) To install 13 linear feet of underground electrical duct bank by open cut under an unnamed tributary to Clenny Run at Winterthur Museum, Garden and Library, Winterthur, New Castle County, DE - **This notice expires February 4**

U.S. Army Corps of Engineers – (Tax Parcel No.: NA – in the Delaware River) To dredge 346,000 cubic yards of material to a depth of 51 feet below mean low water with subsequent dredging of up to 33,000 cubic yards in the Delaware River near Reedy Island, New Castle County, Delaware to create 35.6 acres of beach in the Delaware River at Oakwood Beach, New Jersey for storm protection. The work will also include the extension of 5 outfall pipes at Oakwood Beach, NJ- **This notice expires February 4**

The Bluffs at Sandy Landing (Tax Parcel #1-34-6-328) To construct a 6 by 56 foot dock; two 6 by 25 foot finger piers; an 8 by 19 foot finger pier extension and three boatlifts adding three slips to an existing community docking facility in the Indian River, promoting the facility to marina status, at the Bluffs of Sandy Landing Community at 30468 Otonka Trail, Dagsboro, Sussex, DE- **This notice expires February 18**

Rangely Wallace (Tax Parcel #3-34-8.17-69) to construct a 4 by 20 foot pier; a 5 by 30 foot dock and a 6 by 15 foot floating kayak dock with access ladder in the Lewes and Rehoboth Canal at 75 Anchor Road, North Shores, Rehoboth Beach, Sussex, DE- **This notice expires February 18**

John Burchett (Tax Parcel #3-34-13-1320) to construct 4 by 20 foot pier; a 5 by 30 foot dock with cantilevered kayak rack and a 6 by 15 foot floating kayak dock in the Lewes and Rehoboth Canal at 2 Canal Court, Canal Corkran, Rehoboth Beach, Sussex, DE - **This notice expires February 18**

Mark and Loretta Newsom (Tax Parcel #5-33-20.19-90) To construct a 4 by 16 foot pier; a 5 by 14 foot dock; a 3 by 15 foot aluminum gangway; a 6 by 30 foot floating dock with three pilings and two jet ski lifts in the Fenwick Ditch at 1 Madison Ave, Glenn Acres, Selbyville, Sussex, DE - **This notice expires February 18**

William Callis (1-34-23.12-124) to install a boat lift connecting to a grandfathered 4 by 92 foot long pier, a 17 by 29 foot long dock, and 2 mooring pilings in the Little Assawoman Bay at 1306 Bora Bora St, Fenwick Island, Sussex County, DE- **This notice expires February 18**

The Horsey Family, LLC. (Tax Parcel #2-31-21-22) To construct a road crossing by installing two 36 inch diameter RCP pipes across 54 linear feet of subaqueous lands and placing 1 cu. yd. of fill in an unnamed ditch adjacent to Asketum Branch at 15153 Hardscrabble Road, Seaford, Sussex, DE- **This notice expires February 18**

EMPLOYEE UPDATES

David Brixen, Environmental Scientist III, in Tank Management, left effective 2/6/14.
Matt Rendon, Engineer II in Engineering/Compliance, resigned effective 2/7/14 to work for Gore
Kristoffer Gontkovsky, ES III with EPRS, left for the private sector – 2/8/14.

CONTACT INFORMATION

24-Hour Report and Spill Notification Line - 1-800-662-8802
Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Air Quality – Kent & Sussex – 302-739-9402
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Bio solids Permits - 302-739-9946
Boiler Safety - 302-744-2735
Brownfields - 302-395-2600
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)
Division of Air Quality Director's Office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Information - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Environmental Laboratory - 302-739-9942
Hazardous Waste - 302-739-9403
Industrial Storm water Permits - 302-739-9946
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2600
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program
302-856-4561
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Surface Water Discharge Permits (NPDES) - 302-739-9946

Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Water Supply - 302-739-9945
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944
Wells - 302-739-9945
Wetlands and Subaqueous Lands Section - 302-739-9943